



AUCTION CATALOGUE

By order of:



Kawneer (UK) Ltd

Due to the re-organisation of its manufacturing facilities



AUCTION DATE: THURSDAY 28th MAY 2026



VIRTUAL / PHYSICAL VIEWING:
TUESDAY 26th(PM) & WEDNESDAY 27th May -
By Appointment only
AT: Astmoor Road, Astmoor Industrial Estate, Runcorn, WA7 1QQ.

Peaker Pattinson (Auctioneers) Ltd

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE.
Tel: +44 (0)1778 590111 Email: info@ppauctions.com



www.ppauctions.com



PURCHASERS NOTES

Kawneer (UK) Ltd On-Line Auction Sale

Bidding Closes From: 10.00am on Thursday 28th May 2026

VIEWING

Site Access:

Please bring an acceptable form of photographic identification (UK Passport or UK Photographic Driving Licence), & PPE including Safety Shoes, Safety Glasses, Hi Viz as these will be required to gain access to the site.
(No children under 16 years or animals will be allowed onto the sites)

Virtual / Physical Viewing: Tuesday 26th (PM) & Wednesday 27th May 2026 - BY APPOINTMENT ONLY

At: The Works, Astmoor Road, Astmoor Industrial Estate, Runcorn, WA7 1QQ.

ON-LINE BIDDING

- 1) Purchasers wishing to bid for any lot must first register on-line (www.ppauctions.com) and agree to abide by both the specific sale conditions (purchaser's terms) and the general terms & conditions.
- 2) All quantities, dimensions, descriptions & photographs given in the catalogue, placed on the bidding pages or quoted by the Auctioneer are approximate and for guidance only, and no warranties are given or implied.
- 3) Any bid (acceptable to the auctioneer) forms a legally binding contract and the purchaser is responsible for the lot or lots once confirmed by invoice from the Auctioneer. Lots marked '(Delayed Collection)' may be used by the vendor until the release date. N.B. Lots are not transferable.
- 4) VAT is payable at the current rate on all lots and on the Buyers Premium.
- 5) Buyers Premium of 18% plus VAT is payable on the bid price.
- 6) Timing: Lots will close at 1 & 2 minute intervals starting 10.00am on Thursday 28th May 2026.
Any bids received on a lot within the last two minutes will extend the closing time by two minutes for that lot.

OTHER BIDDING METHODS

Purchaser's unable to bid on-line may bid by the following methods:-

A. Proxy Bids - all bids must be submitted to the Auctioneers on our bid form (available on request / viewing day).

B. Telephone Bids - available by prior arrangement with the Auctioneers only (minimum £2,000.00)

N.B. Bidding by any of the above methods forms a legally binding contract whether or not the lots have been viewed and regardless of any descriptive errors. Buyers Premium is still payable.

PAYMENT

1) Payment must be made in full within 3 Days upon receipt of invoice. A 20% deposit is required on delayed items.

Invoices will be emailed within 3 working days of the final lot closing. Payment can be made by the following:-

a] BACS / CHAPS Payment (preferred method) b] On-Line UK Debit & Credit cards Only: £500 Limit (+3% admin fee)

Title of the goods remains with the vendors until cleared funds have been received.

REMOVAL

N.B. GOODS MAY ONLY BE COLLECTED AFTER CLEARED FUNDS HAVE BEEN RECEIVED

AND ON PRODUCTION OF: THE ORIGINAL COLLECTION NOTE.

All lots must be removed between TUESDAY 2th & FRIDAY 12th JUNE 2026 (12.00noon).

Due to the nature of the site, lots must be removed by prior appointment only (at least 48 hours notice - Tel: 01778 590111).

PLEASE NOTE: All machines need to be collected in a specific order, schedule to be agreed with the auctioneers.

Dates for clearance are Weekdays only (Excluding Bank Holidays).

Times for clearance are 9.30am to 4.30pm Monday to Thursday & 9.30am to 12.00Noon Friday.

Where relevant risk assessments, method statements, removal plans, timing details, etc. must be supplied to the Auctioneers for their approval prior to any work commencing on site.

Where removal of equipment involves structural work "making good" will be the purchasers responsibility (BTMG).

Please Note: Certain machines may have to be removed by approved contractors only.

Loading:

All Lots are deemed to be purchased 'where they are situated' and in 'the condition as viewed'. All Preparation/ Dismantling/Slinging/Lifting/Transportation etc. of the equipment is the exclusive responsibility of the purchaser.

No containers can be loaded on site without 5 working days notice & prior written approval from the Auctioneers.

Personnel / Equipment:

All personnel intending to operate lifting / moving equipment on site must first produce to the Peaker Pattinson supervisor - **current UK operating licenses - current UK equipment certificates and proof of all relevant UK insurances.** They will be expected to work to **The Vendors, Peaker Pattinson (Auctioneers) Ltd** and **current Health & safety regulations** and may be ordered off the site at any time for breach of these regulations.

Peaker Pattinson (Auctioneers) Limited

TEL: +44 (0)1778 590111 FAX: +44 (0)1778 590730 E-mail: info@ppauctions.com

TERMS & CONDITIONS

1. Every Sale and these conditions of sale shall be governed by and construed in accordance with English Law and shall be subject to the jurisdiction of English Courts.
2. The Company acts as Principals in respect of goods offered for sale and herein shall be known as the 'Auctioneers'. Persons instructing the Company to sell goods are herein known as the 'Clients'. Persons who have acquired lots offered for sale by the Auctioneers are herein known as the 'Purchasers'.
3. All persons attending a Sale under the conduct of the Auctioneers - whether on viewing day, sale day, or to remove equipment at the sale rooms or any other site - shall be deemed to be on the land and premises at their own risk and shall have no claim against the Auctioneers or their principals in respect of the cancellation / postponement of a Sale or any loss, accident or injury, however occasioned, save in so far as the same is proven to be caused by the direct negligence of an employee(s) of the Company.
4. The Auctioneers make every reasonable effort to ensure the accuracy of the Advertisements, catalogue / on-line descriptions, photographs and other publicity but except where specifically instructed so to certify by a Client, declare that all statements, oral or in writing, are those of opinion only, made without responsibility and shall not give rise to any action in law for damages, compensation or rescission of sale by a Purchaser, against any Client, the Auctioneers or their employees.
5. Many lots are of an age or nature, which preclude their being in pristine condition. Some catalogue / on-line descriptions may make reference to damage and / or restoration; however, omission of such a reference does not imply a lot is free from defects nor does any reference to a particular defect imply the absence of others.
6. Purchasers should therefore satisfy themselves by physical inspection of lots, before bidding, as to the origin, authenticity, quality, quantity, age, weight, size and general description - as lots are sold in their actual state with all faults, imperfections or errors of description & photographs. Any discrepancy over lots must be notified to the Auctioneers prior to removal.
7. Electrical / Mechanical goods are sold on the strict understanding that these are untested, without warranties or any guarantees as to serviceability or working order.
8. Persons handling lots do so at their own risk and shall make good all loss and damage howsoever sustained; such estimate of cost to be assessed by the Auctioneers whose decision shall be final.
9. In making a bid, Purchasers acknowledge their attention has been drawn to these Conditions of Sale and that they are satisfied as to the description, photographs and condition of lots.
10. Lots are sold subject to any announcement, declaration, alternation of description or other matters, made by the Auctioneers prior to the closure of the lots.
11. At the fall of the hammer, due Tender Date or on-line lot closing, the highest bidder, acceptable to the Auctioneers, shall be deemed to be the Purchaser. In all cases including on-line technical problems, any dispute shall be settled by the Auctioneers, whose decision shall be absolute and final. No lots shall be transferred.
12. The Auctioneers may divide, combine, add to or withdraw lots and make any catalogue alterations without notice or reason; they shall regulate bidding, accept or reject any bid (at their absolute discretion and without justification) and bid on behalf of the Client, where there is a reserve price or at their authorised discretion.
13. The Auctioneers shall not be responsible for default on the part of Clients or Purchasers. Any resultant deficiency, together with interest, costs and expenses, shall be made good by the defaulter, recoverable as and for liquidation damages. This condition is, however without prejudice to the right of the Auctioneers, in appropriate circumstances to enforce the Sale Contract if they think fit.
14. The Contract of Sale is made with the Auctioneers as Principal Agents for the Client and payment shall only be made to them. Notwithstanding the foregoing, the Auctioneers shall retain a lien on all goods, which shall not pass to the Purchaser until full payment has been received.
15. Payment must be made in full to the Auctioneers within 3 days of receipt of invoice by bank transfer (BACS / CHAPS - preferred method) or by UK debit cards for invoices up to £500 only; and goods will not be released / title of the goods will remain with the vendors until cleared funds have been received.
16. At the fall of the hammer or on acceptance of the Tender, Private Treaty or on-line auction, all lots shall be and remain, in every respect, at the absolute risk of the Purchaser, including those of fire, burglary, etc. and damage occasioned to lots by the removal of other goods.
17. Lots marked '(Delayed Collection)' may be used by the Client until the agreed release date. No responsibility will be taken for 'wear & tear' however breakages will be made good by the Client.
18. Purchasers shall pay for and remove lots at their own risk and expense within the specified period following the sale; after such time the Auctioneers reserve the right to scrap, or to resell uncollected lots with no refund being made to the purchaser. In addition they shall be subject to a daily charge per lot to cover storage, loading, transport, etc. and where applicable, interest on outstanding accounts will be levied at 4% above Barclays Bank Minimum Lending Rate. In all cases, the Auctioneers may act without notice and any incidental expenses incurred (including building clearance, penalty clauses etc.) will become a liability to the defaulter.
19. All bidders must be over the age of 18 years old and must have the express authority of the company or body to bid on their behalf. The Auctioneers reserve the right to refuse the highest bidder confirmation of purchase of any lot without reason or justification.
20. The Auctioneers reserve the right to cancel, postpone or re-run an on-line auction / tender in whole or part without reason or justification.
21. HEALTH AND SAFETY AT WORK ACT 1974 [Section 6(8)] Purchasers must take all necessary steps to ensure that equipment purchased is safe and without risks to health when it is re-installed, re-used, cleaned or maintained by a person at work. By accepting these terms and conditions the Purchaser agrees to relieve the Auctioneer and their Clients of any liabilities under section 6(1)(a) or 6(1A) of the Act, and accept that failure to facilitate all necessary safety requirements before taking the equipment into service may render the Purchaser liable to prosecution and / or a fine of up to £20,000 on summary conviction. (Note: It is a UK legal requirement that before work equipment can be taken into use it must comply with the Provision and Use of Work Equipment Regulations 1998 and any other relevant legislation).

LOT	DESCRIPTION
Thursday 28th May 2026 - starting 10.00am	
GOODS IN	
1	6 bays PSS 2KL85 heavy duty, boltless pallet racking, multishelf, bay size 2700x1200x6000mm H approx inc: rear safety guards (<i>contents not included</i>)
2	6 bays PSS 2KL85 heavy duty, boltless pallet racking, multishelf, bay size 2700x1200x6000mm H approx inc: rear safety guards (<i>contents not included</i>)
3	11x vertical slot free standing product rack, 3700x700x2000mm H (<i>contents not included</i>)
4	6 bays PSS 2KL85 heavy duty, boltless pallet racking, multishelf, bay size 2700x1200x6000mm H approx (<i>contents not included</i>)
5	5 step mobile safety steps
6	5 bays PSS 2KL85 heavy duty, boltless pallet racking, multishelf, bay size 2700x1200x6000mm H approx inc: rear safety guards (<i>contents not included</i>)
7	Greenoaks 7 shelf floor mounted bar rack, 500kg cap shelf, 3200x1300x6000mm (<i>contents not included</i>)
8	Greenoaks 6 shelf floor mounted bar rack, 500kg cap shelf, 1700x1300x6000mm (<i>contents not included</i>)
9	Greenoaks 6 shelf floor mounted bar rack, 500kg cap shelf, 6000x1300x6000mm (<i>contents not included</i>)
10	Crown SHR 1565kg electric pedestrian pallet lifter, 4875mm max lift height inc: charge (Asset No: 690166)
11	Combilift Combi WR electric pedestrian lifter, 1500kg cap, 3000mm mast height, 4900mm lift height inc: charger (2018) (Asset No: 73760)
12	7 bays Apex UK8 heavy duty, boltless pallet racking, multishelf, bay size 2700x1000x6000mm H (<i>contents not included</i>)
13	5 bays StackPak 2000 heavy duty, boltless pallet racking, multishelf, bay size 2700x1000x6000mm (<i>contents not included</i>)
14	5 bays StackPak 2000 heavy duty, boltless pallet racking, multishelf, bay size 2700x1000x6000mm (<i>contents not included</i>)
15	5 bays StackPak 2000 heavy duty, boltless pallet racking, multishelf, bay size 2700x1000x6000mm (<i>contents not included</i>)
16	Eco Lift SLT10 manual pallet truck, 1000kg cap, 800mm lift height
17	3 bays PSS 2KL85 heavy duty, boltless pallet racking, multishelf, bay size 1350x800x6000mm (<i>contents not included</i>)
18	Eurokraft mobile platform trolley, 700x1050mm
19	AFS Federhenn type 45.02V011 rotating tilt table (2018) (Asset No: 16/150/100A)
20	AFS Federhenn type 45.02V011 rotating tilt table (2018) (Asset No: 16/150/100B)
21	AFS Federhenn type 45.02V011 rotating tilt table (2018) (Asset No: 16/150/100C)
22	Omgagi T50-350 electric chop saw on base, 400mm dia blade
23	Yale MC15 electric pedestrian pallet lifter, 1500kg capacity, 2100mm mast height, 2970mm lift height (2016) (Asset No: 72387)
24	
25	
26	
PRODUCT TEST & DEVELOPMENT	
27	Remax pneumatic punch jig station, foot operated (2018)
28	Demme 842 pneumatic TBVS punch table inc: pneumatic press station on metal stand, foot operated
29	Oscar KS Robot 600 off road mobile battery operated glass lifter, 500kg max load (2020)
30	Bridgeport turret mill, 42x9" table, 790-10,000rpm, s/n M24687 (Asset No: 16/110/001)

LOT	DESCRIPTION
31	Macnaught Retracta retractable air line reel
32	Pressta-Eisele 2000 crimping machine, foot operated (2003) (Asset No: 99/240/010)
33	Shinko VSF-300 profile projector, 300mm dia screen
34	Atla Coop Itaca crimping machine (2015) (Asset No: 99/240/110)
35	Manutan 2 door multishelf flammable storage cupboard, 920x460x1850mm <i>(contents not included)</i>
36	Metal workbench, built in storage cupboard inc: Record No24 bench vice, 1220x800mm <i>(contents not included)</i>
37	Emmegi mobile double sided storage rack, 1700x900x1800mm H <i>(contents not included)</i>
38	Emmegi mobile gasket reel storage trolley, 800x1700mm
39	Emmegi mobile gasket reel storage trolley, 800x1700mm (Asset No: 99/240/135)
40	Emmegi Acca XL production table, 2200x1500mm
41	Emmegi Acca XL production table, 2200x1500mm
42	Emmegi Acca XL production table, 2200x1500mm
43	Emmegi mobile double sided storage rack, 1700x900x1800mm H <i>(contents not included)</i> (Asset No: 99/240/130)
44	Midland BF-25S manual pallet truck, 2500kg cap (2021)
45	Emmegi mobile single sided storage rack, 1700x1000x1700mm
46	Emmegi Precision TS2 TU/6 CNC double ended mitre saw, 550mm dia blade (2014) (Asset No: 99/240/085)
47	Emmegi mobile extraction unit, twin port (2019)
48	Emmegi SCA Mini 400P upstroking saw, 300mm width, powered conveyor (2014) (Asset No: 99/240/090)
49	Granule AS-V550 vertical notching saw, 210x100mm cutting dimensions (2022)
50	
51	Rinaldi Copia 310 single head copying machine, 10,000rpm (2014) (RA Test 007)
52	Emmegi Lilliput 320 automatic end milling machine (2015)
53	10 section glass storage rack, 2000x2800x3400mm H
54	TVL pneumatic tilting glass bench, 1800x2600mm (Asset No: 99/240/055)
55	Schmalz TVL 125kg glass suction lift (2011) (Asset No: 99/240/050)
56	Lifting beam, 500kg cap, 3200mm long
57	Fort Jason 7 step mobile safety steps
58	3 bays heavy duty, boltless pallet racking, multishelf, bay size 1500x450x2500mm <i>(contents not included)</i>
59	Schulten Fenstertechnik door / window / glass testing station with control / equipment (2002)
60	Abus 6 pillar floor mounted overhead crane gantry, 500kg SWL, electric chain hoist, pendant control, 4700mm wide x 10m approx long
61	3 bays heavy duty, boltless pallet racking, multishelf, bay size 1500x900x2450mm <i>(contents not included)</i>
62	Comall pneumatic punching machine on mobile base (2005)
63	Comall pneumatic punching machine on mobile base (2005)
64	Demme pneumatic punching machine on stand
65	Demme pneumatic punching machine on stand
66	AB Aboga U2508 single spindle drill on base, 100-2900rpm, 550x250mm table, power feed
67	Ixion BT13 single spindle bench drill, 480-3800rpm, 240x240 RF table on metal stand
68	Startrite Mercury single spindle pillar drill, 530-3830rpm, 200x220mm RF table (Asset No: 99/240/020)
69	Pop up electric scissor lift, 240kg SWL (2015)

LOT	DESCRIPTION
70	4x black double door storage cupboards, 900x420x1950mm (<i>contents not included</i>)
71	2x multi shelf storage racks, 2400x930x2000mm (<i>contents not included</i>)
72	Yellow single door flammable storage cupboard, 460x460x920mm (<i>contents not included</i>)
73	
74	
ENGINEERING DEPARTMENT	
75	Comega heavy duty horizontal hacksaw, 16" blade, 8" clamps (Asset No: 58/140/001)
76	Kerry R10 radial arm drill, 21x18" RF table, 90-1120rpm, 24" arm (Asset No: 58/110/001)
77	DSG 13x42 centre toolroom lathe, 25-710rpm (Asset No: 58/130/001)
78	Draper belt finisher on storage cupboard, 100mm wide belt
79	Bridgeport turret mill, belt head, 67-4600rpm, 42x9" table, powerfeed inc: shaping attachment, s/n J-B4699 (Asset No: 58/120/001)
80	Excel rotary surface grinder, 14x6" mag chuck (Asset No: 58/100/005)
81	Union 12" heavy duty DE grinder (Asset No: 58/100/001)
82	Qty various hydraulic power Jacks inc: 2x Hi-Force HP227, Enerpac Turbo 2, various pullers etc on wall mounted back board
83	Metal frame wooden top workbench inc: 2x Record bench vices, 1800x1070mm
84	Smartwash mobile parts washer
85	Meddings single spindle pillar drill, 16x12" RF table, 100x3020rpm, on metal bench (Asset No: 58/10/005)
86	3x Gedore 7 drawer tool cabinets, workbench, 1800x550mm (<i>contents not included</i>)
87	Metal single door tooling cabinet inc: various HSS taps, drills, reamers etc, 560x360x920mm
88	Linx-Lift 3T block & chain (2024)
89	2x Linx-Lift 3T 3 metre chain hoists (2021)
90	Rothenberger Supertronic 2000 pipe threader in case (2025)
91	Rokis 2 door storage cupboard, 920x460x1920mm (<i>contents not included</i>)
92	4 bays heavy duty, boltless pallet racking, multishelf inc: various spares, filters, sensors, switches, contactors, multiswitches, bearings, valves etc, bay size 1000x500x2100mm
93	4x blue multi compartment storage racks inc: nuts, bolts, screws etc, rack size 860x300x1750mm
94	2x blue multi compartment storage racks inc: pipe fittings, valves, clips etc, rack size 860x300x1750mm
95	Storage system inc: single door cupboard, 10 drawer compartment inc: jointing compound, nuts, bolts, HSS taps etc
96	Storage system inc: single door cupboard, 10 drawer compartment inc: fire cement, hole saws, pneumatic connectors, screws etc
97	Multi compartment storage rack inc: various pipe fittings, olives, connectors, elbows etc, 800x300x1750mm
98	Multi compartment storage rack inc: various o-rings, connectors, bungs etc, 800x300x1750mm
99	Multi compartment storage rack inc: various pneumatic connectors, valves, silencers, couplings, gauges etc, 800x300x1750mm
100	Qty various electrical spares inc: part cable reels, lights, trunking etc
101	2 door multishelf storage cupboard inc: various bulbs etc, 920x460x1780mm
102	2 door multishelf storage cupboard inc: various electronic spares, cables, soldering irons etc, 920x460x1780mm
103	2 door multishelf storage cupboard inc: various Allen Bradley Panel Views, Compact I/O, Siemens power supplies, relay modules, terminals etc, 1220x460x1830mm

LOT	DESCRIPTION
104	Lin bin storage rack inc: various spares, transformers, pressure switches, controllers, probes etc, 900x450x1500mm
105	Yellow 2 door multishelf storage cupboard, 900x450x1830mm (<i>contents not included</i>)
106	1 bay storage racking, multishelf inc: various cable trays, hydraulic rams, flanges, regulators, bolts, valves etc 2400x920x2440mm
107	1 bay storage racking, multishelf inc: various impact protection matting, rams, plastic castors, foot pedals, bolts, pressure switches, wire cables etc, 2400x920x2440mm
108	1 bay storage racking, multishelf inc: various ETP probes, press screen, springs, guards, pipe fittings, hoses etc 2400x920x2440mm
109	1 bay storage racking, multishelf inc: various gauges, actuators, bushes, rams, flanges, hoses etc, 2400x920x2440mm
110	1 bay storage racking, multishelf inc: various filters, couplings, connectors, straps, hoses etc, 2400x920x2440mm
111	
112	
113	Art metal 2 door storage cupboard, 920x500x1950mm (<i>contents not included</i>)
114	Storage system inc: single door storage cupboard, 8 drawer compartment inc: various fuses, terminal blocks, grommets, split pins etc
115	Storage system inc: single door storage cupboard, 8 drawer compartment inc: various screws, fuses, crimps, washers, nuts etc
116	Multi compartment storage rack inc: various pipe fittings, bushes, hook plates, elbows, connectors etc, 800x300x1750mm
117	Multi compartment storage rack inc: various plastic terminals, bolts, battery terminals, connectors etc, 800x300x1750mm
118	Wall mounted plastic storage bin rack inc: various electrical spares, fuses, contactors, glands, terminals etc
119	3x storage systems inc: various clips, screws, rivets, switches, contactors, plugs etc, rack size 800x300x1750mm
120	3x storage systems inc: various contactors, pressure switches, relays, plugs, sockets etc, rack size 800x300x1750mm
121	Multi compartment storage rack inc: various bearings, chains, cogs, bushes etc, 800x300x1750mm
122	Sliding door multishelf storage cupboard inc: various controllers, contactors, bearings, crane remotes, bushes etc
123	Sliding door multishelf storage cupboard inc: various cables, transformers, dials, gauges etc
124	Sliding door multishelf storage cupboard inc: various heating elements etc
125	Ecolighting infrared programmer in carry case
126	Gas Tec 300 glue gun in carry case
127	Equotip 2 hardness tester in carry case
128	Wireless inspection camera in carry case
129	Sinergy Minilog energy monitor in carry case
130	BSL rechargeable orange safety lights in charging case
131	Farnell DTV12-14 oscilloscope in carry case
132	Clarke 6 die pipe threading set in carry case
133	SKF 729127 bearing puller kit in carry case
134	Hi-Force CH-13 hydraulic crimping head with crimps in carry case
135	Virax 1362 pipe threader in carry case
136	Pneumatic hammer chisel set in carry case

LOT	DESCRIPTION
137	Lemote 1600W hot air tool
138	JEI Solutions HM50 Magbeast mag drill in carry case
139	Presto manual pipe threader set in metal carry case
140	Einhell DMH 250/1 pneumatic chisel in carry case
141	Air Cat pneumatic hammer chisel in carry case
142	Makita 4304T 110v jigsaw in carry case
143	Air grease gun (<i>boxed</i>)
144	5x various tubs shim metals
145	Fluke 566 IR thermometer inc: accessories in 2 cases
146	TMK SK-8200 clamp meter, RS-206-3722 temp meter digitron thermometer
147	2x Fluke 52II thermometers
148	2x Fluke 52II thermometers
149	2x Fluke 52II thermometers
150	RS 610-815 lux meter, RS 1501 digital photo tachometer
151	Honeywell 8955 test meter, Pomona Electronics 5510 BNC / binding post / banana plug adapter kit in case
152	Fluke 714B thermocouple calibrator (<i>boxed</i>), temperature probe (<i>boxed</i>)
153	SKF 729659B hot plate, 380x170mm, 230deg F max temp, 110v
154	RS engraver, 240v
155	Weller soldering iron (<i>boxed</i>), Weller 6966S heat gun, 110v (<i>boxed</i>)
156	Time Electronics 1021 DC current source, Time Electronics 404S DC millivolt source
157	RS Pro AVM-01 anemometer in case
158	Stanley fat max SLP3 laser level inc: tripod, in carry case
159	
160	
	WELDING SHOP
161	Metal 2 door multishelf storage cupboard inc: various grinding discs, welding rods & wire, hoses etc
162	Steel welding table, 1700x1220mm inc: Record No3 bench vice
163	Dewalt DW872L-XW chop saw, 355mm, 115v
164	Sealey Powermig 3525 mig welder
165	SWP stealth digi-arc 160LT arc welder
166	Makita GA7020 angle grinder, 110v
167	Dewalt DWE4206 angle grinder, 110v, 115mm dia, Makita GA4530R angle grinder, 110v, 115mm dia
168	Karcher HD5/11C electric jet wash, 110v (2013)
169	Hilmor bar / tube bender inc: formers
170	Rosendale 6 pillar floor mounted gantry overhead crane, 1T SWL, 4500mm wide x 8000mm long approx
171	Thermserve gas fired ageing oven, Allen Bradley Panel View C600 touch screen control, 200degC max temp, 1300mm W x 1750mm H x 6500mm L, s/n 5395.1 (2011) (Asset No: 097/750/020)
172	Thermserve gas fired ageing oven, Allen Bradley Panel View C600 touch screen control, 200degC max temp, 1300mm W x 1750mm H x 6500mm L, s/n 5495.0 (2011) (Asset No: 097/750/001)
173	Longworth gas fired ageing oven, Allen Bradley Panel View C600 touch screen control, 200degC max temp, 1300mm W x 1750mm H x 6500mm L, s/n 1628 (2015) (Asset No: 097/750/040)

LOT	DESCRIPTION
174	Yale MP16 electric pedestrian platform lifter, 1600kg capacity inc: charger (2016) (Asset No: 72384)
175	Matterson 3T SWL twin girder overhead crane, remote control, 17m approx span
BEHIND PRESS LINE	
176	Hydraulic die splitting machine (Asset No: 09/800/065)
177	Thermserve electric die oven, twin station, 800x800mm tanks, s/n 2580.0 (2010)
178	2x Thermserve electric die ovens, twin station, 800x800mm tanks (2010)
179	
180	GIA automatic die clean / strip station, twin tank, top loaded, overhead gantry load / unload, 1000x800x1000mm H approx. basket, Allen Bradley PanelView Plus 600 touch screen control (2020) (Asset No: 09/820/110)
181	Caustic strip die tank, 2700x700x800mm H approx, 78-82degC operating temp with load / unload overhead gantry inc: New-Tonne gantry rails, RWM electric chain hoist, 500kg cap
182	Guyson Euroblast 7PF SL system bead blast cabinet with extraction, 750mm dia table (2010) (Asset No: 09/820/012)
183	Bridgeport turret mill, belt head, 67-4600rpm, 42x9" table, powerfeed, s/n JB19578
184	Enclosed fettling booth inc: Record No36 bench vice, 1200x650x2000mm
185	Clarke Strongarm 1T cap mobile engine hoist
186	Kardex Remstar Shuttle XP-500-1850X610 vertical storage carousel, 550kg per shelf (2012) 2x 33,500kg total load, 6m H (Asset No: 09/800/047)
187	Kardex Shuttle XP-500-1850 X610 vertical storage carousels, 540kg per shelf (2008) 2x 33,650kg total load, 6m H (Asset No: 09/800/040)
188	Kardex Shuttle XP-500-1850 X610 vertical storage carousels, 540kg per shelf (2008) 2x 33,650kg total load, 6m H (Asset No: 09/800/045)
189	
190	
191	
192	
193	
194	
RACKING STORES	
195	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
196	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm <i>(contents not included)</i>
197	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm <i>(contents not included)</i>
198	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
199	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
200	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
201	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm <i>(contents not included)</i>
202	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm <i>(contents not included)</i>
203	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
204	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>
205	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm <i>(contents not included)</i>

LOT	DESCRIPTION
206	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
207	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
208	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
209	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
210	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
211	2x Greenoaks cantilever double sided bar racks, adjustable shelves, 4200x1700x7000mm (<i>contents not included</i>)
212	2x Greenoaks cantilever double sided bar racks, adjustable shelves, 4200x1700x7000mm (<i>contents not included</i>)
213	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
214	Greenoaks cantilever double sided bar rack, adjustable shelves, 1500kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
215	Greenoaks cantilever double sided bar rack, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
216	Greenoaks cantilever double sided bar rack, adjustable shelves, 4200x1700x7000mm (<i>contents not included</i>)
217	Greenoaks cantilever double sided bar rack, adjustable shelves, 375kg max load per beam pair, 4200x1700x7000mm (<i>contents not included</i>)
218	Greenoaks cantilever double sided bar rack, adjustable shelves, 375kg max load per beam pair, 4200x1700x7000mm (<i>contents not included</i>)
219	Greenoaks cantilever double sided bar rack, adjustable shelves, 375kg max load per beam pair, 4200x1700x7000mm (<i>contents not included</i>)
220	Greenoaks cantilever double sided bar rack, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
221	Greenoaks cantilever double sided bar rack, adjustable shelves, 375kg max load per beam pair, 4200x1700x7000mm (<i>contents not included</i>)
222	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
223	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
224	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
225	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
226	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
227	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
228	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
229	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
230	Greenoaks cantilever double sided bar rack, adjustable shelves, 2250kg max load per column, 4200x1700x7000mm (<i>contents not included</i>)
231	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
232	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
233	2x cantilever double sided bar racks, fixed shelves, 4200x1700x7000mm (<i>contents not included</i>)
234	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)
235	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)
236	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)
237	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)

LOT	DESCRIPTION
238	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)
239	Cantilever single sided bar rack, fixed shelves, 4200x1000x7000mm (<i>contents not included</i>)
240	Cantilever single sided bar rack, fixed shelves, 4200x1000x3000mm (<i>contents not included</i>)
241	Yale MP18 pedestrian platform lifter, 1800kg cap (2016) (<i>spares or repair</i>)
242	Red / yellow wire mesh safety fencing / barrier inc: 16x 100x100x2650mm steel posts, 15x 1330x2520mm wire mesh panels
243	Red / yellow wire mesh safety fencing / barrier inc: 16x 100x100x2650mm steel posts, 15x 1330x2520mm wire mesh panels
244	Red / yellow wire mesh safety fencing / barrier inc: 6x 100x100x2650mm steel posts, 6x 1330x2520mm wire mesh panels
245	
246	
DISPATCH - BAY 1	
247	PFS-300 plastic film sealer, 240v
248	Robopac Ecoplat Base automatic pallet wrapper, 1650mm dia platform (2010) (Asset No: 55/130/010)
249	Matterson 2T SWL twin girder overhead crane inc: pendant control, 17m approx span (Asset No: 55/100/040)
BAY 2	
250	Hako Sweepmaster B800R electric ride on floor sweeper, 330hrs (Asset No: 72373)
251	Hako Scrubmaster B115R electric ride on wash floor sweeper (Asset No: 72374)
252	Matterson 2T SWL twin girder overhead crane, remote control, 17m approx span (Asset No: 55/100/060)
253	Matterson 2T SWL twin girder overhead crane, remote control, 17m approx span (Asset No: 55/100/050)
254	Aluro type Aluroller V10 CNC hydraulic thermal break, Sick light guards, control, 6m length capacity approx (2007) (<i>no tooling / spares</i>) (Asset No: 42914/0/00)
255	Robopac Spiror 400HP wrapping machine with roller conveyor, touch screen control (2017) (Asset No: 55/100/035)
256	
CANTEEN	
257	2x white 1300x800mm canteen tables, 8x Siesta red plastic canteen chairs
258	2x white 1300x800mm canteen tables, 8x Siesta red plastic canteen chairs
259	2x white 1300x800mm canteen tables, 8x Siesta red plastic canteen chairs
260	White 1300x800mm canteen table, 4x Siesta red plastic canteen chairs
261	White 1300x800mm canteen table, 4x Siesta red plastic canteen chairs
262	White 1300x800mm canteen table, 3x Siesta red plastic canteen chairs
263	Russell Hobbs 800W microwave
264	Russell Hobbs 800W microwave
265	Panasonic NN-SD27HS inverter microwave
266	Hisense FC247DA4WLE electronic chest freezer, 191ltr capacity
267	Hisense FC247DA4WLE electronic chest freezer, 191ltr capacity
268	Sammic Ultra USX 50BD stainless steel commercial glass / dishwasher (2022)
269	Stainless steel deep pan sink, 1450x700mm
270	Stainless steel prep table, 1220x620mm
271	Stainless steel multishelf kitchen storage rack inc: various pans, spoons, plates, pots etc, 1200x600x1820mm

LOT	DESCRIPTION
272	Stainless steel twin basin kitchen sink, 2300x670mm
273	Stainless steel prep table, 1220x760mm
274	Blizzard blue line chill upright fridge, H400SS
275	Stainless steel prep kitchen bench, 1000x750mm
276	Rowlett Rutland 12 slice toaster
277	Stainless steel kitchen sink, 1000x600mm
278	Stainless steel kitchen prep table, 1220x660mm
279	Stainless steel kitchen prep table, 1220x660mm
280	
281	Double door stainless steel warming cabinet, 1400x700mm
282	Falcon electric stainless steel hot plate / oven
283	Large grille on stainless steel table, 1040x550mm
284	Pitco SE14 stainless steel deep fat fryer
285	Stainless steel kitchen prep table, 900x760mm
286	Stainless steel kitchen prep table, 600x760mm
287	Polar CK640 counter top blast chiller
288	Stainless steel kitchen prep table, 1830x600mm
289	Stainless steel hot plate serving counter under counter cabinet, 3260x750mm
290	
291	
292	Capital Products Britvic 1 back bar bottle cooler
293	F4P wall mounted fly zapper
294	F4P wall mounted fly zapper
295	Titan wall mounted fly zapper
296	
297	
298	
299	
PAINT SHOP / PAINT LABORATORY	
300	Qtoc SP4400 manual cupping tester with equipment
301	Jenway 3510 digital pH meter
302	Scheppach DP13 single spindle bench drill, 160x160mm RF table, 500-2500rpm, 240v
303	Daewoo hot plate inc: pressure cooker, 240v
304	Hach DR1900 portable spectrophotometer
305	Sartorius ED1245 laboratory digital scales
306	Yale MP18 pedestrian platform lifter, 1800kg cap inc: charger (Asset No: 72381)
307	Wesley ECS2015YA chemical mixing station (Asset No: 20/140/005)
308	Nilfisk Attix 791-2M/B1 industrial Hoover
309	Nilfisk VHS110Z22 industrial Hoover
310	Nilfisk Attix 791-2M/B1 industrial Hoover
311	Nilfisk Attix 791-2M/B1 industrial Hoover (<i>no pipes</i>)
312	Atex Ex high reach cleaning hose kit in 2 carry bags

LOT	DESCRIPTION
313	
314	
315	
316	
317	
318	
319	
	OUTSIDE
320	Hyundai 40ft metal shipping containers (1987)
321	Hyundai 40ft metal shipping containers (1988)
322	Metal twin sliding door chemical storage unit, double shelf, 2800x1600x3500mm H external dimensions
	COMPRESSOR HOUSE
323	Gardner Denver ES75-7.5 EANA rotary packaged air compressor, 75kW, 7.5bar (2000) (Asset No: 99/150/001)
324	HPC Kaeser CSD125 SFC screw air compressor, 75kW, 8.5bar, 102580hrs (2012)
325	Parker Hiross PST260 compressor refrigerant air dryer, 4.47kW, 917CFM (2011)
326	HPC Kaeser BB88C rotary air blower, 7.5kW with Kaeser start control inc: controller, 2117hrs (2011)
327	Floor standing air receiver (Asset No: 99/150/30)
328	Beko Owamat 6 oil / water separator
	OUTSIDE
329	Metal twin sliding door chemical storage unit, double shelf, 2800x1600x3500mm H external dimensions
	SIDE BUILDING
330	Gemini Genie C-940 encapsulated post production washing & finishing system
331	2500x1250mm aperture, freestanding wash booth with pump & wash gun, 2600x1600x1800mm int dim
332	Umi GEUR013 retractable air hose reel, 15 meter
333	Nederman 520135 wall mounted extraction unit inc: extraction hose & control panel (Asset No: 20/310/005)
334	Mobile platform trolley
335	Murex Tradesmig 235 mig welder (Asset No: 20/310/001)
336	Steel multishelf welding bench, 2400x700mm
337	Meddings single spindle pillar drill, 500x350mm RF table, 100-3600rpm (Asset No: 20/310/15)
338	Metal workbench inc: Irwin bench vice, 1220x600mm
339	Remal gas fired jig oven, 400degC max temperature, single door, Eurotherm temperature controls, ABB MR100 Commander strip-chart process recorder, 3300x2200x2750mm H external dimensions, 1300x3000x2450mm int dim (Asset No: 20/310/010)
340	Excel pull down saw, 250mm dia blade, 1000x700mm (Asset No: 20/310/010)
	OUTSIDE
341	Metal twin sliding door blue chemical storage unit, 2800x1500x3500mm H external dimensions, forkable
342	Jones Co HC1-YE plastic bunded IBC store, 1660x1765x1780mm H
343	Spill Shak double sided plastic bunded IBC store
344	Spill Shak double sided plastic bunded IBC store
345	Yale Veracitor GDP 40VX5 diesel forklift truck, 11507hrs, 3310kg capacity, side shift, twin mast (2016) (Asset No: 72376)
346	SJ-500 forkable drip tray , 1450x1450x1000mm
347	SJ-500 forkable drip tray , 1450x1450x1000mm

LOT	DESCRIPTION
348	Modus caustic scrubber with blower unit
349	EWK type 324/09 cooling tower, 4kW, 750rpm (2013)
350	Metal twin sliding door chemical storage unit, double shelf, 2800x1600x3500mm H external dimensions
351	Denios WHG360-L-S hazardous waste metal store, twin door, 6028x2800x2235mm external dimensions (2023)
352	Bunded diesel storage tank (Asset No: 99/300/040)
353	Plastic forkable drip tray, 2500x1350x500mm
354	Romold yellow plastic chem store, 740x920x1830mm
355	Blue plastic chem store, 740x920x1830mm
356	
357	
358	


End Of On-Line Auction Sale



Airport:
Liverpool John Lennon (10 miles)

Railway Station:
Runcorn (2 miles)

Hotels:
Holiday Inn - Runcorn
+44 (0) 333 320 9350
Premier Inn - Runcorn
+44 (0) 333 321 8459
The Park Royal- Warrington
+44 (0) 1925 730706



**Equipment for disposal
or valuation & disposal advice?**
Call the team
Tel: 01778 590111
Email: info@ppauctions.com



VIRTUAL / PHYSICAL VIEWING:
**TUESDAY 26th(PM) &
WEDNESDAY 27th MAY 2026 -
By Appointment only**
**AT: The Works, Astmoor Road,
Astmoor Industrial Estate,
Runcorn, WA7 1QQ.**



Buyers premium of 18% + VAT (at current UK rate) **will be charged in addition on all lots**
(Exported items: Applicable VAT may be refunded on production of satisfactory shipping documents)

**PHOTOGRAPHIC IDENTITY WILL
BE REQUIRED FOR VIEWING**
Peaker Pattinson (Auctioneers) Ltd reserve
the right to sell equipment prior to the sale.

**PLEASE NOTE: ACCEPTANCE OF
OFFERS AND SUITABILITY OF
PURCHASERS FOR SOME OR ALL OF
THE EQUIPMENT IS AT THE EXCLUSIVE
DISCRETION OF THE VENDORS.**

IMPORTANT NOTE:

All information supplied by the auctioneer in promotional material, catalogues etc. is provided in good faith but may not be correct. No liability is accepted by the auctioneer or their Clients for incorrect information and it is the responsibility of the purchaser to satisfy themselves by physical inspection with regard to: General description, measurement, location, age, general conditions, environmental or health and safety conditions, removal requirements etc.

Purchasers who do not inspect (including online bidders) are deemed to have waived the right to this facility and all sales are deemed to be 'as inspected' and 'as is, in situ.'

Any bid is accepted on the above basis only and all terms are governed by English law.

Peaker Pattinson (Auctioneers) Ltd

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE.
Tel: +44 (0)1778 590111 Email: info@ppauctions.com

