## **AUCTION CATALOGUE**

### By order of: **Biomet UK Ltd**



Multi phase disposal programme 2024 / 2025



PHASE 2 AUCTION DATE: THURSDAY 6th MARCH 2025



Peaker Pattinson (Auctioneers) Ltd MA

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE England Tel: +44 (0)1778 590111 Fax: +44 (0)1778 590730 Email: info@ppauctions.com



#### **PURCHASERS NOTES**

Biomet UK Ltd Phase 2 - On-Line Auction Sale Bidding Closes From: 11.00am on Thursday 6th March 2025

#### **VIEWING**

#### Site Access:

Please bring an acceptable form of photographic identification (UK Passport or UK Photographic Driving Licence), & PPE including Safety Shoes, Safety Glasses, Hi Viz as these will be required to gain access to the site. (No children under 16 years or animals will be allowed onto the sites)

<u>Virtual / Physical Viewing:</u> Tuesday 4th March 2025 - BY APPOINTMENT ONLY **At:** The Works, Waterton Industrial Estate, Bridgend, Mid Glamorgan, CF31 3XA, Wales.

#### **ON-LINE BIDDING**

- 1) Purchasers wishing to bid for any lot must first register on-line (www.ppauctions.com) and agree to abide by both the specific sale conditions (purchaser's terms) and the general terms & conditions.
- 2) All quantities, dimensions, descriptions & photographs given in the catalogue, placed on the bidding pages or quoted by the Auctioneer are approximate and for guidance only, and no warranties are given or implied.
- 3) Any bid (acceptable to the auctioneer) forms a legally binding contract and the purchaser is responsible for the lot or lots once confirmed by invoice from the Auctioneer. Lots marked '(Delayed Collection)' may be used by the vendor until the release date. N.B. Lots are not transferable.
- 4) VAT is payable at the current rate on all lots and on the Buyers Premium.
- 5) Buyers Premium of 18% plus VAT is payable on the bid price.
- 6) Timing: Lots will close between 1 & 2 minute intervals starting from 11.00am on Thursday 6th March 2025.

  Any bids received on a lot within the last two minutes will extend the closing time by two minutes for that lot.

#### OTHER BIDDING METHODS

Purchaser's unable to bid on-line may bid by the following methods:-

- A. Proxy Bids all bids must be submitted to the Auctioneers on our bid form (available on request / viewing day).
- B. Telephone Bids available by prior arrangement with the Auctioneers only (minimum £2,000.00)
- N.B. Bidding by any of the above methods forms a legally binding contract whether or not the lots have been viewed and regardless of any descriptive errors. Buyers Premium is still payable.

#### **PAYMENT**

1) Payment must be made in full within 3 Days upon receipt of invoice. A 20% deposit is required on delayed items. Invoices will be emailed within 3 working days of the final lot closing. Payment can be made by the following:a] BACS / CHAPS Payment (preferred method) b] On-Line UK Debit & Credit cards Only: £500 Limit (+2% admin fee)
Title of the goods remains with the vendors until cleared funds have been received.

#### **REMOVAL**

N.B. GOODS MAY ONLY BE COLLECTED AFTER CLEARED FUNDS HAVE BEEN RECEIVED AND ON PRODUCTION OF: THE ORIGINAL COLLECTION NOTE.

Clearance (latest covid-19 guidelines to be observed):

All lots must be removed between MONDAY 17th & FRIDAY 28th MARCH 2025 (12.00noon). Due to

the nature of the site, lots must be removed by prior appointment only (at least 48 hours notice - Tel: 01778 590111).

PLEASE NOTE: All machines need to be collected in a specific order, schedule to be agreed with the auctioneers. Dates for clearance are Weekdays only (Excluding Bank Holidays).

Times for clearance are 9.30am to 4.30pm Monday to Thursday & 9.30am to 12.00Noon Friday.

Where relevant risk assessments, method statements, removal plans, timing details, etc. must be supplied to the Auctioneers for their approval prior to any work commencing on site.

Where removal of equipment involves structural work "making good" will be the purchasers responsibility (BTMG).

Please Note: Certain machines may have to be removed by approved contractors only.

#### Loading:

All Lots are deemed to be purchased 'where they are situated' and in 'the condition as viewed'. All Preparation/
Dismantling/Slinging/Lifting/Transportation etc. of the equipment is the exclusive responsibility of the purchaser.

No containers can be loaded on site without 5 working days notice & prior written approval from the Austineer.

No containers can be loaded on site without 5 working days notice & prior written approval from the Auctioneers. Personnel / Equipment:

All personnel intending to operate lifting / moving equipment on site must first produce to the Peaker Pattinson supervisor - current UK operating licenses - current UK equipment certificates and proof of all relevant UK insurances. They will be expected to work to The Vendors, Peaker Pattinson (Auctioneers) Ltd and current Health & safety regulations and may be ordered off the site at any time for breach of these regulations.

### Peaker Pattinson (Auctioneers) Limited

TEL: +44 (0)1778 590111 FAX: +44 (0)1778 590730 E-mail: info@ppauctions.com



#### **TERMS & CONDITIONS**

- 1. Every Sale and these conditions of sale shall be governed by and construed in accordance with English Law and shall be subject to the jurisdiction of English Courts.
- 2. The Company acts as Principles in respect of goods offered for sale and herein shall be known as the 'Auctioneers'. Persons instructing the Company to sell goods are herein known as the 'Clients'. Persons who have acquired lots offered for sale by the Auctioneers are herein known as the 'Purchasers'.
- 3. All persons attending a Sale under the conduct of the Auctioneers whether on viewing day, sale day, or to remove equipment at the sale rooms or any other site shall be deemed to be on the land and premises at their own risk and shall have no claim against the Auctioneers or their principals in respect of the cancellation / postponement of a Sale or any loss, accident or injury, however occasioned, save in so far as the same is proven to be caused by the direct negligence of an employee(s) of the Company.
- **4.** The Auctioneers make every reasonable effort to ensure the accuracy of the Advertisements, catalogue / on-line descriptions, photographs and other publicity but except where specifically instructed so to certify by a Client, declare that all statements, oral or in writing, are those of opinion only, made without responsibility and shall not give rise to any action in law for damages, compensation or rescission of sale by a Purchaser, against any Client, the Auctioneers or their employees.
- 5. Many lots are of an age or nature, which preclude their being in pristine condition. Some catalogue / on-line descriptions may make reference to damage and / or restoration; however, omission of such a reference does not imply a lot is free from defects nor does any reference to a particular defect imply the absence of others.
- **6.** Purchasers should therefore satisfy themselves by physical inspection of lots, before bidding, as to the origin, authenticity, quality, quantity, age, weight, size and general description as lots are sold in their actual state with all faults, imperfections or errors of description & photographs. Any discrepancy over lots must be notified to the Auctioneers prior to removal.
- 7. Electrical / Mechanical goods are sold on the strict understanding that these are untested, without warranties or any guarantees as to serviceability or working order.
- 8. Persons handling lots do so at their own risk and shall make good all loss and damage howsoever sustained; such estimate of cost to be assessed by the Auctioneers whose decision shall be final.
- 9. In making a bid, Purchasers acknowledge their attention has been drawn to these Conditions of Sale and that they are satisfied as to the description, photographs and condition of lots.
- 10. Lots are sold subject to any announcement, declaration, alternation of description or other matters, made by the Auctioneers prior to the closure of the lots.
- 11. At the fall of the hammer, due Tender Date or on-line lot closing, the highest bidder, acceptable to the Auctioneers, shall be deemed to be the Purchaser. In all cases including on-line technical problems, any dispute shall be settled by the Auctioneers, whose decision shall be absolute and final. No lots shall be transferred.
- 12. The Auctioneers my divide, combine, add to or withdraw lots and make any catalogue alterations without notice or reason; they shall regulate bidding, accept or reject any bid (at their absolute discretion and without justification) and bid on behalf of the Client, where there is a reserve price or at their authorised discretion.
- 13. The Auctioneers shall not be responsible for default on the part of Clients or Purchasers. Any resultant deficiency, together with interest, costs and expenses, shall be made good by the defaulter, recoverable as and for liquidation damages. This condition is, however without prejudice to the right of the Auctioneers, in appropriate circumstances to enforce the Sale Contract if they think fit.
- **14.** The Contract of Sale is made with the Auctioneers as Principal Agents for the Client and payment shall only be made to them. Notwithstanding the foregoing, the Auctioneers shall retain a lien on all goods, which shall not pass to the Purchaser until full payment has been received.
- **15.** Payment must be made in full to the Auctioneers within 3 days of receipt of invoice by bank transfer (BACS / CHAPS preferred method) or by UK debit cards for invoices up to £500 only; and goods will not be released / title of the goods will remain with the vendors until cleared funds have been received.
- **16.** At the fall of the hammer or on acceptance of the Tender, Private Treaty or on-line auction, all lots shall be and remain, in every respect, at the absolute risk of the Purchaser, including those of fire, burglary, etc. and damage occasioned to lots by the removal of other goods.
- 17. Lots marked '(Delayed Collection)' may be used by the Client until the agreed release date. No responsibility will be taken for 'wear & tear' however breakages will be made good by the Client.
- 18. Purchasers shall pay for and remove lots at their own risk and expense within the specified period following the sale; after such time the Auctioneers reserve the right to scrap, or to resell uncollected lots with no refund being made to the purchaser. In addition they shall be subject to a daily charge per lot to cover storage, loading, transport, etc. and where applicable, interest on outstanding accounts will be levied at 4% above Barclays Bank Minimum Lending Rate. In all cases, the Auctioneers may act without notice and any incidental expenses incurred (including building clearance, penalty clauses etc.) will become a liability to the defaulter.
- 19. All bidders must be over the age of 18 years old and must have the express authority of the company or body to bid on their behalf. The Auctioneers reserve the right to refuse the highest bidder confirmation of purchase of any lot without reason or justification.
- **20.** The Auctioneers reserve the right to cancel, postpone or re-run an on-line auction / tender in whole or part without reason or justification.
- 21. HEALTH AND SAFETY AT WORK ACT 1974 [Section 6(8)] Purchasers must take all necessary steps to ensure that equipment purchased is safe and without risks to health when it is re-installed, re-used, cleaned or maintained by a person at work. By accepting these terms and conditions the Purchaser agrees to relieve the Auctioneer and their Clients of any liabilities under section 6(1)(a) or 6(1A) of the Act, and accept that failure to facilitate all necessary safety requirements before taking the equipment into service may render the Purchaser liable to prosecution and / or a fine of up to £20,000 on summary conviction. (Note: It is a UK legal requirement that before work equipment can be taken into use it must comply with the Provision and Use of Work Equipment Regulations 1998 and any other relevant legislation).

LOT	DESCRIPTION
	Thursday 6th March 2025 - starting 11.00am
	Inspection Room
1	3x Mitutoyo C150XB digital depth gauges
2	2x Mitutoyo C150XB digital depth gauges, dial gauge stand
3	2x Mitutoyo F150E digital depth gauges, 2x Mitutoyo U1025E digital dial indicator
4	3x various Mitutoyo digital micrometers
5	4x Mitutoyo 150mm digital verniers
6	4x Mitutoyo 150mm digital verniers
7	4x Mitutoyo 150mm digital verniers
8	4x Mitutoyo 150mm digital verniers
9	4x Mitutoyo 150mm digital verniers
10	4x Mitutoyo 150mm digital verniers
11	Qty various plug gauges
12	Qty various screw ring gauges
13	Qty various dial gauges
14	Qty various dial gauges
15	Qty various plug gauges
16	Qty various plug gauges
17	Qty various plug gauges
18	Qty various plug gauges
19	Mitutoyo engineers protractors
20	Qty various plug gauges
21 22	4x various Mitutoyo digital verniers, 150mm
23	4x various Sylvac, Tesa etc, 150mm digital verniers
24	4x Mitutoyo 150mm digital verniers
25	4x Mitutoyo 150mm digital verniers
26	4x Mitutoyo 150mm digital verniers
27	4x Mitutoyo 150mm digital verniers
28	Mitutoyo 200mm digital vernier (boxed), 125mm 'Vee' block
29	3x various Mitutoyo, Tesa 300mm digital verniers
30	4x Mitutoyo internal groove micrometers in cases
31	7x various dial gauges in cases
32 33	
34	8x Dickson SP125 USB temperature monitors, 10x Tiny tag TGP-4017 internal temperature monitors, KM1242 thermocouple input meter
35	2x RS Pro 123-8777 conductivity meters
36	Granite surface plate, 450x300mm
37	Granite surface plate, 450x300mm
38	Granite surface plate, 450x300mm

LOT	DESCRIPTION
39	Mitutoyo SJ-210 Surftest portable surface roughness tester with PSU
40	Mitutoyo SJ-210 Surftest portable surface roughness tester with PSU
41	2x Mitutoyo SJ-210 Surftest portable surface roughness tester <i>(no PSUs)</i>
42	2x Mitutoyo SJ-210 Surftest portable surface roughness tester <i>(no PSUs)</i>
43	3x Mitutoyo SJ-210 Surftest portable surface roughness tester (no heads / PSUs)
44	3x Mitutoyo U1025E digital dial indicators
45	Qty various Mitutoyo, Micromasters imperial / metric micrometers etc
46	Qty various Mitutoyo imperial / metric micrometers etc
47	4x pneumatic gauging spacer heads in cases
48	Brecknell B140 digital counting scales, 6kg x 0.2g capacity
49	Audion Elecktro 480 MISIDVK-2 sealing machine
50 51	
52	Nikon LC15DX digital laser scanner with equipment & software in case
53	Mitutoyo HDS 300 digital height gauge
54	Mitutoyo HDS 300 digital height gauge
55	Mitutoyo HDS 300 digital height gauge
56	Busch Vacuum vac-control, 1-1050mbar range (boxed)
57	PPB Megasonics PB-500 ultrasonic energy meter in carry case
58	Mitutoyo LH-600E digital linear height gauge, QM-Data 100 control (2019)
59	Renishaw OC20-W ballbar calibration system in case
60	Renishaw OC20-W ballbar calibration system in case
61	Hygea ultrasonic activity meter with probe in carry case
62	Coherent Fieldmate laser power meter with equipment in case
63	Fluke 1586A Super-DAQ precision temperature meter with probe
64	Ametek Mocon DanSensor CheckMate 3 oxygen sensor meter, built in printer with equipment (boxed)
65	Inventec process control analysis kit in case
66	Magnaflux EV6000 LED UV lamp in case
67	Crest Ultrasonics CWF 200 digital watt frequency meter (boxed)
68	Mitutoyo HDS 300 digital height gauge
69	Mitutoyo HDS 300 digital height gauge
70	Mitutoyo HDS 300 digital height gauge
71	Mitutoyo HDS 300 digital height gauge
72	Sartorius YACOIMSE digital laboratory scales
73	Mitutoyo 300mm digital height gauge
74	Mitutoyo 300mm digital height gauge
75 76 77 78	2x Edmunds E9040, E9340 Accu-setters

LOT	DESCRIPTION
	Main Machine Shop
79	Morrisflex / RJH Powerfin 1100 d/e polishing spindles, independent power, 75mm belt size, NDOP-09 controls (Machine No 10002266)
80	Hodge Clemco Series 1000 twin blast cabinet system with dust collector, vibrating screen, elevator, extraction, platform etc. (2016) (Machine No. 10003248)
81	600mm wide table with built in drawers
82	10x BT30 taper tool holders in tray
83	Wooden top metal frame workbench inc: light, 1000x800x2130mm H
84	Centre fixture on metal plate
85	2x metal frame workbenches, 600x700mm
86	Metal frame workbench inc: BIG tool holder jig, 610x640x1400mm H
87	Granite surface plate, 300x300mm
88	5 drawer mobile storage chest, 650x650x1000mm
89	Bott 750x750mm mobile workbench with drawers
90	Qty various Jolke polishing tool, felt sticks, ME brushes etc
91	Qty various HSS end mills etc
92	4x various tool holders
93	Granite surface table on levelling base, 920x920mm
94	Wooden top metal frame workbench inc: tool setting fixture, 620x620x1400mm H
95	Metal frame workbench inc: granite surface plate, 460x310mm
96	Mitutoyo Formtracer Avant FTA-H453000D surface roughness measuring machine, 600x450mm granite bed with equipment, pendant, s/n 100132105 (2021) (Machine No BM1205)
97	Mitutoyo Formtracer Avant FTA-H453000D surface roughness measuring machine, 600x450mm granite bed with equipment, pendant, s/n 100222107 (2021) (Machine No BM1204)
98	Daikin inverter / air conditioning unit
99	Qty various Nakanishi EBS-101 mini fine belt linishers etc
100	Qty various hand tools inc: hex drivers, Norbar, deburrers etc
101	Bison 4 jaw 125mm chuck
102	9x various tool holders
103	6x Zurn C1-C4 tool holders
104	10x various Int 40 taper tools holders
105	2x various Zurn tool holders
106	4x various Zurn tool holders
107	Qty various Tec QS10 chuck jaws
108	9x Tec QL08 chuck jaws, 3x large chuck jaws
109	Index G300 tooling inc: 2x EWS 17.3032LDG300V turret tool holders, Index W1355042C driven tool
110	Index G300 tooling inc: 6x Guhring etc tool holders & Qty various tool holders
111	Qty various tool holders
112	Qty various stops, bung ends
113 114	Index G300 tooling inc: 6x various Hainbuch 100BZ collets

LOT	DESCRIPTION
115	
116 117	Index G300 tooling inc: 2x W1335000C, 1x 803300.1102 driven tools
	Index G300 tooling inc: 3x driven tools, 60.2525G200RL1KGLV, 60.3025G300RLIKV, 803025036
119	Verdict bench top 300mm centres
120	3x various Int 40 taper tools holders
121	6x CP 9104Q pencil grinders
122	3x Nakanishi EBS-101 fine linisher belts (boxed & unused), various belt linishers
123	Jolke Eneska Amiro 600 fine linisher system
124	2x various tool holders
125	7x various tool holders inc: Seiki KV40 etc
126	3x various Zurn tool holders
127	4x various Zurn tool holders
128	5x various turning tool holders etc
129	6x various tool holders inc: Seiki KV40 etc
130	5x MT M0163200 tool holders
131	8x Seiki KV40-SU32 tool holders
132	Metallography Omega PO1 PMV008 polisher, 200mm dia inc: mobile storage bench (2012) (Machine No BM698)
133	2x Hainbuch 5K100BZ collets, 50mm dia <i>(unused)</i>
134	11x various BT40, BT30 tool holders
135	Bison 4 jaw chuck, 130mm
136	Qty various turning tips inc: Sumitomo, Sandvik etc (unused)
137	Qty various HSS end mills (unused)
138 139	
140	Qty various Stokvis white single sided silicone glass tape (boxed)
141	3x Hainbuch MQ80, MQ65 collet clamps inc: various SK80 Hainbuch collets
	11x various Hainbuch SK65 collets
143	9x various Hainbuch 100BZ collets
144	9x various Hainbuch 100BZ collets
	2x Hainbuch HO MQ80 collet clamps
	Qty various tipped turning tools
	Nikken P-125 centre fixture
	Hainbuch Hydrok clamping head (2013)
	Index G300 tooling inc: 3x EWS60.30VX3G300RILKW driven tools
150	Large Qty various linisher belts inc: 3M 307D 50x 1525mm, 100x 3045mm, 307EA, 50x 2500mm on pallet (boxed & unused)
151	Industrial Services granite surface plate, 610x610mm
152	460x300mm granite surface plate
153	300x300mm granite surface plate
154	Qty various Ward scrub trousers, Activarmr gloves, coat sleeves etc (unused)

LOT	DESCRIPTION
155	Qty various black cloth tape in 2 boxes (unused)
156	Qty 3M XR-WM 33067 HA120 metal working wheels (boxed & unused)
157	120 boxes (100 per box) PH Handsafe GN70 blue hybrid examination gloves, size 7 (boxed & unused)
158	Mecatech dividing head set
159	Matchling MCL-230 balancing jig
160	CI tilting 250x200mm angle plate
161	CI 300x300mm angle plate
162	Chick One-Lok single station 150mm CNC vice
163	600x200mm magnetic table
164	2x CI angle plates 220x250mm
165	Acro-Vu Ltd Vanco 700 Flexiband belt linisher, 25mm wide
166	Mitutoyo PV-5100 profile projector, 510mm dia screen, KA-200 counter / DRO, s/n 700312109 (Machine No BM1201) (cracked screen)
167	Mitutoyo PV-5100 profile projector, 510mm dia screen, KA-200 counter / DRO, s/n 700262109 ( <i>Machine No BM 1197</i> )
168	Mitutoyo PV-5100 profile projector, 510mm dia screen, KA-200 counter / DRO, s/n 700302109 ( <i>Machine No BM 1200</i> )
169	Wooden top metal frame workbench inc: sockets, light, 1500x550x2220mm
170	Wooden top metal frame workbench inc: sockets, light, 1500x550x2220mm
171	Arco 2 door multishelf storage cupboard, 1000x500x2000mm H
172	Grey 2 door multishelf storage cupboard, 910x1830x450mm
173	5 boxes 3M 307EA Trizact linisher belts A1621/4X148 etc (boxed & unused)
174	3x various magnetic dial stands
175 176	
177	Index R200 CNC turning & milling centre, full 5 axis, Siemens Sinumerik Index C200-4D CNC control, 80 tool ATC, high pressure coolant, swarf conveyor, chiller, Hydropower pack, s/n 480089 (2015) (Machine No 10003251)
178	Index R200 CNC turning & milling centre, full 5 axis, Siemens Sinumerik Index C200-4D CNC control, 80 tool ATC, high pressure coolant, swarf conveyor, chiller, Hydropower pack, s/n 480067 (2013) (Machine No 10002521)
179	Index R200 CNC turning & milling centre, full 5 axis, Siemens Sinumerik Index C200-4D CNC control, 80 tool ATC, high pressure coolant, swarf conveyor, chiller, Hydropower pack, s/n 480060 (2013) (Machine No 10002563) (spares or repair - parts removed)
180	Metal frame workbench, 1500x650x1200mm
181	Mitutoyo Crysta-Apex 574 CNC CMM, Renishaw PH10M probe, 650mm between columns, 1200x700mm granite bed, with PC etc in air conditioned enclosure, s/n NO342602 <b>(2006)</b> <i>(Machine No BM280)</i>
182	ACME Vanguard polishing / linishing robot cell, 4 head, load / unload station (2011) with Fanuc M-20A robot, pendant, System R-30iA controller ( <i>Machine No 10002020</i> ) (2009)
	ACME linishing robot cell, 4 head with Fanuc M-16i robot, pendant, system R-J3 controller & load / unload station (2001)
184 185 186	Haas Multigrind CB multi axis CNC grinder, 12 station, Siemens Sinumerik control, load / unload, LTA industrial air cleaning unit, s/n 3017 (Machine No 10001786) (2010)
187	Mori Seiki NL2000Y/500 CNC turning centre, MSX-850 III control, swarf conveyor, tool setting probe, parts catcher, 16 tool turret, live tooling, high pressure coolant system, s/n NL201DK0188 (2004) ( <i>Machine No</i> 10000157)

LOT	DESCRIPTION
188	Haas Multigrind CB multi axis CNC grinder, 12 station, Siemens Sinumerik control, load / unload, VAS air cleaning unit, s/n 3154 (Machine No 1000227) (2012)
189	Mori Seiki NV5000α1 A/40 CNC VMC, MSX-501 control, 30 tool ATC, 1200x700mm table, swarf conveyor, 5363 running hours, s/n NV501DD1763 <b>(2004)</b> <i>(Machine No 10000084)</i>
190	Vomat FA480 filtration system, 480l/min max filtration, s/n 2013-489-52-M1-00003 <b>(2009)</b> (spares or repair) (Machine No 10002428)
191	Wheelabrator Ventus 92S blast cabinet with filter unit, s/n 220794.1 (2007) (Machine No 10002562)
192	Wheelabrator Vaqua 92 wet blast cabinet, s/n 603536 (2016) (Machine No 10003188)
193	Wheelabrator Ventus 92S blast cabinet with filter unit, s/n 220794 (2007) (Machine No 10001526)
194	Baty SM24 profile projector, 24" dia screen, 370x230mm table, s/n 2775 (Machine No BM269)
195	Mitutoyo PV-5100 profile projectors, 510mm dia screen, KA-200 counter / DRO, s/n 700272109 (Machine No BM1199)
196	Bott 6 drawer tool cabinet, 650x900mm
197	Metal frame multi drawer workbench, 600x600x1800mm H
198	Huffman HS-155R CNC 5 axis grinder, Fanuc Panel i control, 500mm dia rotary table, Smog-Hog industrial air cleaner, coolant, filter system, s/n WO-1013 <b>(2008)</b> <i>(Machine No 10001244)</i>
199	AJH Cougar CG/1 belt linisher, 3450x100mm belt size, s/n 15708 (Machine No 10000029)
200 201 202 203 204 205	Metal blue & white 2 door multishelf storage cupboard, 920x440x2000mm H
	Plastics Room
206	Ventus Vacublast 92PR shot blast inc: reclaim system, s/n 220358 (2004) (Machine No 10000447)
207	Wheelabrator Ventus Vacublast B10 salt blast cabinet with reclaim, extraction unit & pressure unit (2006)
208	Guyson Mediblast 1400+ System single head bead blast cabinet with reclaim & extraction unit (2010)
209	Mitutoyo Euro-C-A544 CNC CMM in air cooled booth, 870x700mm bed, 640mm b/c (Machine No BM223)
210	Trumpf Trumark Station 5000 laser etching machine, 600x380mm table, s/n L0132E0079 <b>(2013)</b> ( <i>Machine No 10002504</i> )
211	Mori Seiki NL2000Y/500 CNC turning centre, s/n NL201HH2594 <b>(2008)</b> - Now included in the Biomet UK Ltd Phase 3 Auction Sale anticipated June 2025
212	Mori Seiki NL2000Y/500 CNC turning centre, s/n NL201HK2769 <b>(2008)</b> - Now included in the Biomet UK Ltd Phase 3 Auction Sale anticipated June 2025
213	Mitutoyo Crysta-Plus M 544 CNC CMM, 860x700mm bed, 620mm b/c, s/n NDT20512 (Machine No BM281) (2005)
214	DMG Mori Seiki NLX2000Y/500 CNC turning centre, s/n NL202140224 <b>(2014)</b> - Now included in the Biomet UK Ltd Phase 3 Auction Sale anticipated June 2025
215 216	Mori Seiki NL2000Y/500 CNC turning centre, s/n NL201FC1175 <b>(2006)</b> - Now included in the Biomet UK Ltd Phase 3 Auction Sale anticipated June 2025
	Mazak QuickTurn Smart 200U CNC turning centre, Mazatrol Smart control, tool setting probe, parts catcher, swarf conveyor, tail stock, 12 tool turret, live tooling, s/n 251043 (2014) (Machine No 10002545)
218	Mazak QuickTurn Smart 200U CNC turning centre, Mazatrol Smart control, tool setting probe, parts catcher, swarf conveyor, tail stock, 12 tool turret, live tooling, s/n 251044 (2014) (Machine No 10002546)
	End Of On-Line Auction Sale



Airport:

Cardiff (19 miles)

**Railway Station:** 

Bridgend (3 miles)

**Hotels:** 

**Coed-Y-Mwstwr Hotel** 

+44 (0) 1656 860621

**Premier Inn Bridgend Central hotel** 

+44 (0) 333 777 3945

**Best Western Premier Heronston Hotel & Spa** 

+44 (0) 333 003 4155



**VIRTUAL / PHYSICAL VIEWING:** TUESDAY 4th MARCH 2025 -By Appointment only

AT: The Works, Waterton Industrial

Estate, Bridgend, Mid Glamorgan,

**ČF31 3XA.** 

**Equipment for disposal** or valuation & disposal advice? **Call the team** Tel: 01778 590111 Email: info@ppauctions.com









Buyers premium of 18% + VAT (at current UK rate) will be charged in addition on all lots (Exported items: Applicable VAT may be refunded on production of satisfactory shipping documents)

#### PHOTOGRAPHIC IDENTITY WILL **BE REQUIRED FOR VIEWING**

Peaker Pattinson (Auctioneers) Ltd reserve the right to sell equipment prior to the sale.

PLEASE NOTE: ACCEPTANCE OF **OFFERS AND SUITABILITY OF PURCHASERS FOR SOME OR ALL OF** THE EQUIPMENT IS AT THE EXCLUSIVE **DISCRETION OF THE VENDORS.** 

#### **IMPORTANT NOTE:**

All information supplied by the auctioneer in promotional material, catalogues etc. is provided in good faith but may not be correct. No liability is accepted by the auctioneer or their Clients for incorrect information and it is the responsibility of the purchaser to satisfy themselves by physical inspection with regard to: General description, measurement. location, age, general conditions, environmental or health and safety conditions, removal requirements etc.

> Purchasers who do not inspect (including online bidders) are deemed to have waived the right to this facility and all sales are deemed to be 'as inspected' and 'as is, in situ.'

> > Any bid is accepted on the above basis only and all terms are governed by English law.

# eaker Pattinson (Auctioneers) Ltd MTA

The Grange Offices, Aunby, Stamford, Lincs, PE9 4EE England Tel: +44 (0)1778 590111 Fax: +44 (0)1778 590730 Email: info@ppauctions.com



www.ppauctions.com